

Industrial / Commercial Wet / Dry Vacuums

Contractor • Industrial • Commercial






Call or visit your local branch or go to grainger.com/dayton for complete product line information.

Dayton Utility Vacuums Cover Facility Maintenance From Front to Back

Dayton vacuums provide a high level of cleaning productivity, operational durability and versatility for a wide range of applications such as industrial, commercial, Jan-San and contractor.

They are custom designed and engineered using the latest technology and have innovative features to meet the demands of facility maintenance professionals. Our selection of vacuums offer different levels of cleaning performances, project minimal noise, maintain effective filtration and are easy to use.



CONTRACTOR WET/DRY VACUUMS

Contractor grade high airflow wet/dry vacuums are designed for moderate frequency use in general purpose applications.

- Quiet operation motor housing
- On-board tool storage



3VE18

3VE19 3VE20

- Powerful single-stage by-pass motor
- Durable plastic tank

6, 8 & 12 Gallon Tank Vacuums

Includes:

- Deluxe 6-piece 1.25 in. dia. plastic tool set with 8 ft. Lock-On[®] hose
- · Integral wide stance caster system

- Lock-On[®] positive connection hose system
- Convertible blower port
- Heavy duty cartridge filter
- Foam sleeve
- 12 Gal. No. 3VE20 includes tank drain

ITEM NO.	TANK SIZE (Gal.)	TANK TYPE	PEAK HP	AMPS @120V	AVERAGE BRUSH LIFE (Hrs.)	CFM @2.5 IN. ORIFICE	STATIC PRESSURE (In.)	POWER CORD LENGTH (Ft.)		
6, 8 & 12 Gallon Tank Vacuums										
3VE18	6	Poly	3.5	8.1	400	145	58	12		
3VE19	8	Poly	4.5	10.8	400	185	58	12		
3VE20	12	Poly	5.5	11.5	400	195	59	18		



1UG91

3VE21

2RPD8

16, 22 & 32 Gallon Tank Vacuums

Includes:

- Deluxe 8-piece 2.5 in. dia. plastic tool set with 8 ft. Lock-On[®] hose.
- Large tank drain, tool storage.
- · Heavy duty cartridge filter and foam sleeve.
- No. 3VE21 includes high efficiency disposable filter bag and wide stance caster system.
- No. 1UG91 includes high efficiency disposable filter bag and large rear wheel dolly with metal transport handle.
- No. 2RPD8 includes large rear wheel dolly with (2) 10 in. fully pneumatic tires and metal transport handle.

ITEM NO.	TANK SIZE (Gal.)	TANK TYPE	PEAK HP	AMPS @120V	AVERAGE BRUSH LIFE (Hrs.)	CFM @2.5 IN. ORIFICE	STATIC PRESSURE (In.)	POWER CORD LENGTH (Ft.)			
16, 22 & 32 G	16, 22 & 32 Gallon Tank Vacuums										
3VE21	16	Poly	6.5	12.0	500	210	60	18			
1UG91	22	Poly	6.5	12.0	500	210	60	18			
2RPD8	32	Poly	6.5	12.0	500	210	60	20			



22XJ48

12 & 16 Gallon Stainless Steel Tank Vacuums

- Includes: • Large tank drain.
 - 22XJ47 includes deluxe 6 piece 1.25 in. plastic tool set with 8 ft. Lock-On[®] hose, wide stance platform dolly with 4 casters, heavy duty cartridge filter and foam sleeve.
- 22XJ48 includes deluxe 8 piece 2.5 in. plastic tool set with 8 ft. Lock-On[®] hose, large rear wheel dolly with metal transport handle, deluxe on-board tool storage, high efficiency disposable filter bag, heavy duty cartridge filter and foam sleeve.

ITEM NO.	TANK SIZE (Gal.)	TANK TYPE	PEAK HP	AMPS @120V	AVERAGE BRUSH LIFE (Hrs.)	CFM @2.5 IN. ORIFICE	STATIC PRESSURE (In.)	POWER CORD LENGTH (Ft.)
12 & 16 Gallo	on Stainless S	Steel Tank Vac	uums					
22XJ47	12	Stainless Steel	6.0	11.8	500	200	60	18
22XJ48	16	Stainless Steel	6.5	12.0	500	210	60	18



22XJ54

22XJ55

Long Life Brushless Motor Vacuums

Includes:

- · Innovative, brushless by-pass motor design.
- · Provides 5,000 hours of motor run time.
- Increased productivity and decreased downtime. · Large tank drain.
- Deluxe 8-piece 2.5 in. dia. plastic tool set with 8 ft. Lock-On® hose.
- HEPA cartridge filter, high efficiency ٠ disposable filter bag and foam sleeve.

ITEM NO.	TANK SIZE (Gal.)	TANK TYPE	AMPS @120V	CFM @2.5 IN. ORIFICE	STATIC PRESSURE (In.)	POWER CORD LENGTH (Ft.)	
Long Life Brushless Motor Vacuums							
22XJ54	12	Poly	12.0	240	70	18	
22XJ55	18	Poly	12.0	240	70	18	

INDUSTRIAL WET/DRY VACUUMS

Industrial wet/dry vacuums are designed for high frequency use in heavy duty applications.

Lock-On[®] positive connection hose system

· Heavy duty dollies, large tank drains

(on canister models).

(on canister models).

- · Powerful two-stage by-pass motors (wet/dry pick up)
- · Greater suction for liquids and heavier particles



22XJ49

4TB82

16 Gallon Plastic & 10 Gallon Stainless Steel Tank Vacuums

Includes:

- Deluxe 6-piece 1.5 in. dia. metal floor cleaning kit with 10 ft. Lock-On® hose.
- · Deluxe on-board tool storage.
- · Heavy duty cartridge filter and foam sleeve.
- No. 22XJ49 features integral 4-wheel dolly and metal transport handle.

ITEM NO.	TANK SIZE (Gal.)	TANK TYPE	PEAK HP	AMPS @120V	AVERAGE BRUSH LIFE (Hrs.)	CFM @2.5 IN. ORIFICE	STATIC PRESSURE (In.)	POWER CORD LENGTH (Ft.)
16 Gallon Pla	astic & 10 Gall	on Stainless Ste	el Tank Va	icuums				
4TB82	16	Poly	2.0	8.5	750	100	80	20
22XJ49	10	Stainless Steel	2.0	8.5	750	100	80	20



22XJ46

16 Gallon Stainless Steel & 22 Gallon Plastic Tank Vacuums

Poly

Includes:

4TB85

- Deluxe 6-piece 1.5 in. dia. metal floor • cleaning kit with 10 ft. Lock-On® hose.
- · Heavy duty cartridge filter and foam sleeve.
- Integral 4-wheel heavy duty vacuum cart with metal transport handle.

22

POWER AVERAGE CFM STATIC ITEM TANK SIZE AMPS TANK PFAK **BRUSH LIFE** @2.5 IN. ORIFICE PRESSURE CORD LENGTH (Ft.) TYPF HP @120V (Hrs.) (In.) NO (Gal.) 16 Gallon Stainless Steel & 22 Gallon Plastic Tank Vacuums Stainless Steel 22XJ46 16 2.0 85 750 100 80 50

8.5

2.0

· Deluxe on-board tool storage.

750

• No. 22XJ46 features (2)10 in. fully pneumatic wheels.

100

80

20



22XJ64

12 & 18 Gallon Long Life Motor Vacuums

Includes:

- · Long life 2 stage by-pass motor design.
- · Provides 1800 hours of motor run time.
- · Increased productivity and decreased downtime.
- Deluxe 7 piece 1.5 in dia. tool set with 12 ft. Lock-On® hose.
- · HEPA cartridge filter with foam sleeve and disposable filter bag

ITEM NO.	TANK SIZE (Gal.)	TANK TYPE			STATIC PRESSURE (In.)	POWER CORD LENGTH (Ft.)
12 & 18 Gallo	on Long Life V	acuums				
22XJ63	12	Stainless Steel	8.0	100	80	18
22XJ64	18	Plastic	8.0	100	80	18





22XJ56

15 & 20 Gallon Stainless Steel Tank Vacuums

Includes:

- 1.5 in. dia. tools: 7 ft. Lock-On[®] hose, utility nozzle with squeegee insert.
- · Ultra duty cartridge filter with nanofiber media and foam sleeve.
- · Side handles included on tank and motor housing.
- Heavy duty 4-wheel dolly with 10 in. rear wheels, metal hubs, full swivel caster and integral metal transport handle.

ITEM NO.	TANK SIZE (Gal.)	TANK TYPE	PEAK HP	AMPS @120V	AVERAGE BRUSH LIFE (Hrs.)	CFM @2.5 IN. ORIFICE	STATIC PRESSURE (In.)	POWER CORD LENGTH (Ft.)
15 & 20 Gallo	on Stainless S	teel Tank Vacu	ums					
22XJ50	15	Stainless Steel	3.0	11.0	750	109	105	18
4YE62	20	Stainless Steel	4.0	11.5	800	112	107	18

Industrial Long Life Brushless Motor Vacuums

Includes:

- · Innovative, brushless by-pass motor design.
- Provides 5,000 hours of motor run time.
- · Increased productivity and decreased downtime.
- Deluxe 10-piece commercial 1.5 in dia. tool set with 12 ft. Lock-On® hose.
- Heavy duty 4-wheel Flip-N-Pour® dolly, on-board tool storage, non-marking wheels.

ITEM NO.	TANK SIZE (Gal.)	TANK TYPE	AMPS @120V	CFM @2.5 IN. ORIFICE	STATIC PRESSURE (In.)	POWER CORD LENGTH (Ft.)			
Industrial Long Life Brushless Motor Vacuums									
22XJ56	20	Stainless Steel	12.0	105	120	35			
22XJ57	20	Poly	12.0	105	120	35			





22XJ57

4YE63

Industrial Wet/Dry Vacuum Heads

- 1.5 in. dia. tools: 7 ft. hose, utility nozzle with squeegee insert.
- Mount on 55 Gal., full remove head (FRH) drum.
- · Ultra duty cartridge filter with nanofiber media.
- AVERAGE BRUSH LIFE (Hrs.) ITEM AMPS PEAK @120V NO HP Industrial Wet/Dry Vacuum Heads 4YE60 3.0 11.0 750 4YE63 4.0 11.5 800 1VHG3 N/A N/A 12.0
- No. 1VHG3 features Long Life Brushless Motor, provides 5,000 hours of motor run time, and 12 ft. hose.
- Nos. 4YE63 and 1VHG3 metal housing provides durability for heavy duty use.

CFM @2.5 IN. ORIFICE	STATIC PRESSURE (ln.)	POWER CORD LENGTH (Ft.)
109	105	18
112	107	18
110	125	35

COMMERCIAL WET/DRY VACUUMS

Commercial wet/dry vacuums are designed for high frequency use in Commercial and Jan-San heavy duty applications. Provide routine cleaning maintenance in areas where guiet operation is preferred.

- Powerful two-stage by-pass motors (wet/dry pick up) (No. 4YE65 features a single-stage by-pass motor).
- · Greater suction for liquids and heavier particles.
- Quiet operation, deluxe tool make-ups, Lock-On[®] positive connection hose system.
- · Heavy duty dollies, large tank drains (12 gallon and larger canister vacuums).



4YE66

4YF68

6 & 10 Gallon Plastic Tank Vacuums

- Includes: Deluxe 1.25 in. dia. tool sets: No. 4YE65 includes 8 piece set with 8 ft. Lock-On® hose and No. 4YE66 includes 7 piece set with 10 ft. Lock-On[®] hose.
 - No. 4YE68 deluxe 10-piece Commercial 1.5 in. dia. tool set with 10 ft. Lock-On® hose.

 High efficiency disposable filter bag, foam sleeve and No. 4YE65 features heavy duty cartridge filter and No. 4YE66 and 4YE68 feature HEPA cartridge filter for maximum filtration efficiency.

· Heavy duty easy roll, non marking caster system. No. 4YÉ68 features an integral non-marking caster system with on-board tool storage caddy.

074710

ITEM NO.	TANK SIZE (Gal.)	TANK TYPE	PEAK HP	AMPS @120V	AVERAGE BRUSH LIFE (Hrs.)	@2.5 IN. ORIFICE	PRESSURE (In.)	CORD LENGTH (Ft.)
6 & 10 Gallo	on Plastic Tank	Vacuums						
4YE65	6	Poly	4.5	8.0	400	180	62	18
4YE66	6	Poly	2.0	7.4	750	100	80	35
4YE68	10	Poly	2.0	7.4	750	100	80	35



12 & 16 Gallon Plastic Tank Vacuums

Includes:

- Deluxe 10-piece 1.5 in. dia. tool set with 10 ft. Lock-On $^{\mbox{\tiny B}}$ hose.
- · Powerful convertible blower port.
- Tank drain.
- HEPA cartridge filter, high efficiency disposable filter bag and foam sleeve.
- No. 6AKZ0 features integral non-marking heavy duty caster system and on-board tool storage caddy.
- Nos. 6AKZ1 and 6AKZ2 feature 4 wheel heavy duty dolly, large 10 in. non-marking rear wheels, metal transport handle and on-board tool storage basket.

ITEM NO.	TANK SIZE (Gal.)	TANK TYPE	PEAK HP	AMPS @120V	AVERAGE BRUSH LIFE (Hrs.)	CFM @2.5 IN. ORIFICE	STATIC PRESSURE (In.)	POWER CORD LENGTH (Ft.)
12 & 16 Gallo	on Plastic Tanl	k Vacuums						
6AKZ2	12	Poly	3.0	11.5	750	105	105	35
6AKZ0	16	Poly	4.0	12.0	800	107	107	35
6AKZ1	16	Poly	4.0	12.0	800	107	107	35

6 & 10 Gallon Stainless Steel Tank Vacuums

Includes:

- HEPA cartridge filter, high efficiency disposable filter bag and foam sleeve.
 No. 6AKY9 deluxe 10-piece commercial 1.5 in. dia. tool set with 10 ft. Lock-On[®]
- No. 22XJ51 deluxe 7-piece 1.25 in. dia. tool set with 10 ft. Lock-On[®] hose, heavy duty easy roll integral caster system.
- 1.5 in. dia. tool set with 10 ft. Lock-On® hose, 3-wheel heavy duty dolly, large 10 in. non-marking wheels.

ITEM NO.	TANK SIZE (Gal.)	TANK TYPE	PEAK HP	AMPS @120V	AVERAGE BRUSH LIFE (Hrs.)	CFM @2.5 IN. ORIFICE	STATIC PRESSURE (In.)	POWER CORD LENGTH (Ft.)
6 & 10 Gallor	n Stainless Ste	el Tank Vacuum	s					
22XJ51	6	Stainless Steel	2.0	7.4	750	100	80	35
6AKY9	10	Stainless Steel	3.0	11.5	750	105	105	35



22XJ51

6AKY9



22XJ59

Commercial Long Life Brushless Motor Vacuums

Includes:

- Innovative, brushless by-pass motor design.
- Provides 5,000 hours of motor run time.
- Increased productivity and decreased downtime.
 Deluxe 10-piece commercial 1.5 in. dia. tool set with 12 ft. Lock-On[®] hose.
- Nos. 22XJ58 and 22XJ60 feature heavy duty 4-wheel Flip-N-Pour[®] dolly, onboard tool storage basket, large 10 in. non-marking wheels.
- HEPA cartridge filter, high efficiency disposable filter bag and foam sleeve.

22XJ60	16	Stainless Steel	12.0	105	120	35	
22XJ58	2XJ58 16 Poly		12.0	105	120	35	
22XJ59	12	Stainless Steel	12.0	105	120	35	
Commercial Long Life Brushless Motor Vacuums							
ITEM NO.	TANK SIZE (Gal.)	TANK TYPE	AMPS @120V	CFM @2.5 IN. ORIFICE	STATIC PRESSURE (In.)	POWER CORD LENGTH (Ft.)	



4 & 6 Gallon Hotel Long Life Motor Vacuums



- Long life 2 stage by-pass motor design
- Provides 1800 hours of motor run time.
- Increased productivity and decreased downtime.
- Deluxe 8-piece commercial 1.5 in. dia. tool set with 10 ft. Lock-On[®] hose.
- HEPA cartridge filter, disposable filter bag and foam sleeve.

ITEM NO.	TANK SIZE (Gal.)	TANK AMPS TYPE @120V		CFM @2.5 IN. ORIFICE	STATIC PRESSURE (In.)	POWER CORD LENGTH (Ft.)	
4 & 6 Gallon	Long Life Hot	el Vacuums					
22XJ61	4	Stainless Steel	8.0	100	80	35	
22XJ62			8.0	100	80	35	



22XJ62

22XJ61

Commercial Stick Vacuum

Lightweight and versatile design for added convenience and increased productivity. Adjusts to use on bare or carpeted floors. Dry pick up only.

- Efficient and versatile 3 in 1 vacuum (converts to stick vacuum, shoulder vacuum and handheld portable vacuum).
- · High efficiency disposable filter bag.
- Optional power nozzle (No. 4JMV1) attachment is available for deep down powered cleaning of carpeted floors.

ITEM NO.	CLEANING PATH (In.)	NET WEIGHT (Lbs.) (without power cord)	AMPS @120V	POWER CORD LENGTH (Ft.)						
Commercial	Commercial Stick & Upright Vacuums									
2YMT8	10	6	6.4	20						



PORTABLE WET & DRY VACUUMS

Portable vacuums are designed to provide excellent cleaning maintenance where portability and versatility is required. For moderate frequency use in general purpose applications.

- · Compact and lightweight.
- High performance, single-stage by-pass (wet/dry pick up) and "flow thru" (dry pick up only) motors.



2NYE4

2NYE3



1VHF8

6AKY2

1.5, 2.5 & 5 Gallon Plastic Tank Vacuums

Includes:

- Efficient by-pass motors for wet & dry pick up operation.
- No. 2NYE3 and 2NYE4 features 6 ft. x 1.25 in. hose, crevice tool, dusting brush, utility nozzle, dry disc filter, foam sleeve, on-board tool storage and 18 ft. power cord.

 No. 1VHF8 features 7 ft. x 1.5 in. Lock-On[®] hose, crevice tool, claw style utility nozzle, heavy duty cartridge filter and high efficiency disposable filter bag, on-board tool & cord storage, 20 ft. power cord.

ITEM NO.	TANK SIZE (Gal.)	TANK TYPE	PEAK HP	AMPS @120V	AVERAGE BRUSH LIFE (Hrs.)	CFM @2.5 IN. ORIFICE	STATIC PRESSURE (In.)	POWER CORD LENGTH (Ft.)		
1.5, 2.5 and §	1.5, 2.5 and 5 Gallon Plastic Tank Vacuums									
2NYE3	1.5	Poly	2.0	7.4	400	120	52	18		
2NYE4	2.5	Poly	2.5	8.0	400	130	56	18		
1VHF8	5.0	Poly	5.5	11.5	400	195	59	20		



4YF74

47906

- No. 4Z906 features lightweight, dry pick up only operation. 3 ft. x 1.25 in. hose, crevice tool, utility nozzle, removable soft snout with wide mouth for direct cleaning, disposable filter bag, adjustable shoulder strap for optional operation, 18 ft. power cord.
- No. 4YE74 features quiet operation motor housing wet/dry pick up operation. 7 ft. x 1.25 in. Lock-On® hose, (2) plastic extension wands, 12 in. deluxe swivel floor nozzle with brush and squeegee inserts, crevice tool, dusting brush, utility nozzle, heavy duty cartridge filter, foam sleeve and disposable filter bag. Integral cord wrap, 4 caster dolly and 18 ft. power cord.
- No. 6AKY2 features a deluxe 6-piece 1.5 in dia. plastic tool set with 12 ft. Lock-On® hose. Rust proof and dent resistant plastic tank with high performance single-stage by pass motor for wet and dry pick up operation. Compact and lightweight with onboard tool holder and flexible quick release 4 wheel dolly. Ultra duty antimicrobial cartridge filter and high efficiency disposable filter bag.

ITEM NO.	TANK SIZE (Gal.)	TANK TYPE	PEAK HP	AMPS @120V	AVERAGE BRUSH LIFE (Hrs.)	CFM @2.5 IN. ORIFICE	STATIC PRESSURE (In.)	POWER CORD LENGTH (Ft.)				
3 & 10 Gallo	3 & 10 Gallon Plastic Tank & Portable Hand Vacuums											
4Z906	N/A	Poly	1.5	6.8	400	105	54	18				
4YE74	3.0	Poly	4.5	8.0	400	180	62	18				
6AKY2	10	Poly	6.5	12.0	500	195	60	20				
Filters and	Filters and Bags											
5X879	Foam sleeve fo	r Nos. 4TB90, 2NY	E3, 2NYE4,	6AKY2 an	d 4UAC7							
6H008	Dry disc filter for	or Nos. 2NYE3 and	2NYE4									
4TB95	Portable vacuu	m cartridge filter &	foam sleev	e package	for Nos. 1VHF8,	13J020, 13J	021, 4YE74 an	d 1TFX2				
4YJ85	Collection bag	for No. 4YE74										
4UAD2	Wall mount bra	cket for No. 1VHF8	3									
6H020	Filter bag for No. 4Z906											
3UP65	Filter bag for N	Filter bag for No. 6AKY2										

BACK PACK VACUUMS

Back Pack vacuums are lightweight and ergonomically designed with special attention to cleaning productivity, indoor air quality, quiet performance and comfortable operation.

- · Powerful single stage "by- pass" and two stage "flow thru" motors (dry pick up only)
- Quiet operation, deluxe tool make-up and Lock-On[®] positive connection hose system.



Back Pack Vacuums, Single-Stage Motor

Includes:

- 5 ft. x 1.5 in. dia. Lock-On[®] hose, (2) lightweight aluminum extension wands, wide floor nozzle, crevice tool, dusting brush and utility nozzle
- No. 1TFX2 features a heavy duty cartridge filter and high efficiency disposable filter bag
- No. 1UG82 features a permanent cloth filter and high efficiency disposable filter bag. This model can use optional HEPA filter kit (1UG88) for even greater filtration efficiency. Auto resetting thermo motor protection.
- Adjustable wide shoulder/waist harness, carry handle and easy access on/off switch.

2	Back Pack
	17570

ITEM NO.	TANK TYPE	AMPS @120V	AVERAGE BRUSH LIFE (Hrs.)	CFM @2.5 IN. ORIFICE	STATIC PRESSURE (In.)	POWER CORD LENGTH (Ft.)	
Back Pack Vacuums, Single-Stage Motor							
1TFX2	Poly	12.0	400	210	60	25	
1UG82	Poly	9.0	500	135	70	35	



4TR10

1UG82

Back Pack Vacuums, Two-Stage Motor

- 5 ft. x 1.5 in. dia. Lock-On[®] hose, (2) lightweight aluminum extension wands and wide floor nozzle, crevice tool, dusting brush and utility nozzle.
- Efficient filtration with permanent cloth filter and high efficiency collection filter bag. These models can use optional HEPA filter kit (1UG88) for even geater filtration efficiency.
- · Adjustable wide shoulder/waist harness, carry handle, easy access on/off switch and auto resetting thermo motor protection.
- No. 4TR10 operates on 400Hz frequency for aircraft cleaning.


ITEM NO.	TANK TYPE	AMPS @120V	AVERAGE BRUSH LIFE (Hrs.)	CFM @2.5 IN. ORIFICE	STATIC PRESSURE (In.)	POWER CORD LENGTH (Ft.)					
Back Pack V	Back Pack Vacuums, Two-Stage Motor										
4TR09	Poly	Poly 10.0 750 105 105 50									
4TR10	Poly	7.5	750	95	84	50					
Filters & Bag	js										
4TR17	Micro line collecti	ion filters fo	or Nos. 4TR09, 41	R10 and 1U	G82, Package	e of 5					
4TR18	Cloth filter for No:	Cloth filter for Nos. 4TR09, 4TR10 and 1UG82									
1UG88	HEPA cartridge fil	lter kit for N	Nos. 4TR09, 4TR1	0 and 1UG8	2						
1UG89	HEPA cartridge fil Package of 4	lters (fits D	ayton backpack	vacuums wi	th kit No. 1UG	88 installed),					
1UFP3	High-efficiency co	ollection filt	ter bag for No. 17	FX2							
4TB95	Portable vacuum	cartridge fi	Iter for No. 1TFX	2							
1UG86	14in. Professional	floor nozzl	e for Dayton Bac	kpack Vacs							
1UG87	Turbo brush carp	et nozzle fo	or Dayton Backpa	ack Vacs							



SPECIALTY VACUUMS

Specialty vacuums feature a wide range of vacuums to tackle tough and unique cleaning applications.

- · Powerful, single and two stage, by-pass (wet/dry pick up) and "flow thru" (dry pick up only) motors.
- · Efficient filtration and deluxe accessory make-ups.





3VE22



13J020





4TB90

4UAC7

18 Gallon Wet/Dry Vacuum with Portable Blower

Includes:

- Vacuum motor detaches for use • Deluxe 8-piece 2.5 in. dia. plastic tool set as a powerful handheld blower. with 8 ft. Lock-On® hose. Blower delivers up to 265 MPH
- Heavy duty cartridge filter, foam sleeve and air velocity with concentrator nozzle. high efficiency disposable filter bag.

								COLUMN AND A			
ITEM NO.	TANK SIZE (Gal.)	TANK TYPE	PEAK HP	AMPS @120V	AVERAGE BRUSH LIFE (Hrs.)	CFM @2.5 IN. ORIFICE	STATIC PRESSURE (In.)	POWER CORD LENGTH (Ft.)			
8 Gallon We	8 Gallon Wet & Dry Vacuum with Portable Blower										
3VE22	18	Poly	6.5	12.0	500	200	60	18			

3.5 & 5 Gallon Plastic and 6 & 8 Gallon Stainless Steel Tank Hang $Up^{\ensuremath{\mathbb{R}}}$ Vacuums

Includes:

18 (

- Nos. 13J020 features 18 ft. x 1.25 in. dia. Lock-On® hose, crevice tool, dusting brush and utility nozzle. Heavy duty cartridge filter and disposable filter bag (13J022).
- No. 4UAC7 features 20 ft. x 1.5 in. dia. Stretchable Lock-On® hose, (2) aluminum extension wands, 14 in. floor nozzle with squeegee & brush inserts, crevice tool, dusting brush and claw style utility/auto nozzle. HEPA cartridge filter and foam sleeve. Wall mounting bracket.
- No. 13J021 and 4TB90 feature 18 ft. x 1.5 in. dia. Lock-On® hose, crevice tool, dusting brush and claw style utility/auto nozzle. 13J021 includes (2) extension wands, 14 in. wet/dry floor nozzle, heavy duty cartridge filter, foam sleeve and disposable filter bag (13J023). 4TB90 includes HEPA cartridge filter and foam sleeve. Wall mounting bracket.
- · Conveniently mount to the wall for easy, centralized accessibility.
- · Ideal for garage, factory, workbench, computer room or wherever space is at a minimum
- Heavy duty single-stage (Nos. 13J020 and 13J021) and two-stage (Nos. 4TB90 and 4UAC7) by-pass motors (wet/dry pick up).

ITEM NO.	TANK SIZE (Gal.)	TANK	PEAK HP	AMPS @120V	AVERAGE BRUSH LIFE (Hrs.)	CFM @2.5 IN. ORIFICE	STATIC PRESSURE (In.)	POWER CORD LENGTH (Ft.)
-	. ,	6 & 8 Gallon Stai					(111.)	
13J020	3.5	Poly	3.5	7.5	450	135	53	6
13J021	5	Poly	5.5	9.2	450	155	57	6
4TB90	6	Stainless Steel	2	7.4	750	100	80	18
4UAC7	8	Stainless Steel	2.5	8	750	100	90	6





22XJ53



1VHF9

4TB87



3UP78



22XJ65

2 in 1 Wet/Dry Vacuum

Includes:

- Large capacity heavy duty vacuum and removable 2.5 Gal. portable vacuum all in one
- High efficiency disposable filter bag and tool holder
- 3-piece 1.25 in. dia. tool set (portable vacuum use)
- 7-piece 2.5 in. dia. tool set
- · Heavy duty cartridge filter and portable vacuum cartridge filter
- 16 Gal. No. 22XJ53 has stainless steel tank and 4-wheel heavy duty dolly with on-board tool storage
- 20 Gal. No. 1VHF9 has deluxe wide stance caster system and tool holder



(large va	icuum usej				AVERAGE	CFM	STATIC	POWER	
ITEM NO.	TANK SIZE (Gal.)	TANK TYPE	PEAK HP	AMPS @120V	BRUSH LIFE (Hrs.)	@2.5 IN. ORIFICE	PRESSURE (In.)	CORD LENGTH (Ft.)	
2 in 1 Wet &	Dry Vacuum								
22XJ53	16	Stainless Steel	6.5	12.0	500	195	60	18	
1VHF9	20	Poly	6.5	12.0	500	195	60	18	

18 Gallon Plastic Tank Pump Vacuum

Includes:

- Electric shutoff when liquid capacity is reached (no overflow)
- Deluxe 8-piece 2.5 in. dia. tool set with 8 ft. Lock- On^{\circledast} hose, heavy
- duty cartridge filter and foam sleeve · Easily converts from wet/dry vacuum
- to pump operation Utility vacuum has a built-in pump to quickly pump non-hazardous liquids from its large capacity tank
- Self-priming, pumps up to 50 ft. high at 6 gpm, uses conventional garden hose (not included)
- · Heavy duty vacuum cart with 8 in. rear wheels, metal transport handle and on-board tool storage



ITEM NO.	TANK SIZE (Gal.)	TANK TYPE	PEAK HP	AMPS @120V	AVERAGE BRUSH LIFE (Hrs.)	CFM @2.5 IN. ORIFICE	STATIC PRESSURE (In.)	POWER CORD LENGTH (Ft.)			
18 Gallon Pla	18 Gallon Plastic Tank Pump Vacuum										
4TB87	18	Poly	6.5	12.0	500	195	60	18			

Power On-Demand Vacuum

Includes:

- Power tool activated vacuum.
- · Built-in receptacle for power tools.

maximum available vacuum power.

- 3-position switch for on/off/auto operation. Auto power adjusts to maintain the
- 6 in. utility nozzle with brush insert. • Universal tool adapter to fit hose to
- exhaust port of portable power tools. · Heavy duty cartridge filter & high efficiency disposable filter bag.



ITEM NO.	TANK SIZE (Gal.)	TANK TYPE	PEAK HP	AMPS @120V	AVERAGE BRUSH LIFE (Hrs.)	CFM @2.5 IN. ORIFICE	STATIC PRESSURE (In.)	POWER CORD LENGTH (Ft.)
Power On-D	emand Vacuu	m						
3UP78	8	Poly	4.0	9.5	500	190	60	18

Ash Vacuum

• 7 ft. x 1.5 in. dia. hose.

- · By-pass motor powerful enough to pick up large quantities of cold ash or fine dust. Dry pick up only.
- · Thermal protective device shuts off vacuum should a preset temperature
- 1.25 in., dia. tool set: 4' vinyl covered Lock-On® flexible steel hose, metal intake nozzle and metal crevice tool.
- HEPA Cartridge filter and built-in 3 layer metal pre-filter.

NO. Ash Vacuum		ТҮРЕ	@120V	ORIFICE	(ln.)	LENGTH (Ft.)	
22XJ65	5	Stainless Steel	6.3	80	40	6	





26W721

26W722



57042



6H003

WET/DRY & DRY VACUUM ACCESSORIES AND FILTERS



Foam Sleeve Filter

For general and large-volume wet pick up applications. Use with wet/dry vacuums only.

5X879



Antimicrobial Cartridge Filter

Nanofiber filtration media inhibits microorganism growth to help prevent stains, odors and product degradation. Has 25% more filtration area than No. 2W435.

Rechargeable Vacuums

Includes:

- No. 26W721 features a detachable nozzle, utility nozzle with brush shoe, crevice tool, dusting brush, battery charger, cartridge filter and foam sleeve. Powerful motor provides quiet operation for efficient dry debris vacuuming.
- No. 26W722 features a 1.25 in., dia. hose, utility nozzle with brush shoe, dusting brush, crevice tool, wall mounting bracket, tool holder, battery charger, vehicle power cord, foam sleeve and disposable filter bag. Use for picking up wet or dry debris. Single stage, by-pass motor provides quiet operation for efficient wet/dry debris vacuuming 051



ITEM NO.	TANK SIZE (Gal)	TANK TYPE	VOLTS	@2.5 IN. ORIFICE	PRESSURE (In.)	USAGE
Rechargeabl	e Vacuums					
26W721	N/A	Plastic	9.6	N/A	17	Dry Only
26W722	1	Plastic	12	N/A	22	Wet or Dry

Industrial Walk Behind Push Sweeper

Includes:

- Easy-to-maneuver push sweeper will improve maintenance productivity with cleaner more efficient results.
- Cleans dirt, dust and debris from any hard surface including cement, tile, wood and asphalt.
- 27 in. wide cleaning path with 19 in. wide main broom & 12 in. dia. side broom. Side broom sweeps debris away from walls, curbs, etc. into cleaning path

of main t ITEM NO.	CLEANING PATH (In.)	HOPPER CAPACITY (cu. ft.)	MAIN BRUSH WIDTH (In.)	SIDE BROOM SIZE

19

AMPS

@120V

6.0

1.4

BAG CAPACITY (Gal.)

Industrial Walk Behind Push Sweeper 27

CLEANING PATH (In.)

19

Industrial Indoor/Outdoor Vacuum

foam frame and poly hopper. Large 10 in, rear wheels and heavy duty 3 in. front caster.

· Adjustable main and side brooms.

· Dent and rust resistant, structural

• Large 1.4 cu. ft. capacity, easy to empty hopper.

Industrial Indoor/Outdoor Vacuum


Includes:

ITEM NO.

6H003


57042

- · Quickly and easily cleans, collecting litter, dirt and debris from hard surface areas or low nap commercial carpeting.
- Large 8 gallon filter/collection bag has zipper for easy emptying (filtration designed for large materials such as sawdust, leaves and small sticks. Not meant for fine dust).



- Heavy duty nylon impeller mulches as it cleans.
- 19 in. wide nozzle with 1.5 in. dia. intake, two height settings, easy access on/off switch, built-in kickstand.
- · Double insulated.

· Single-stage high airflow motor.



12

Heavy Duty Cartridge Filter Reusable filter provides efficient wet/dry filtration in general applications. Easy to install, remove and clean.



2W435

PFAK HP

1.25



High Efficiency Collection Filter Bags

Improve air quality in fine dust applications. Durable 2-ply construction with micro inner liner. Dry filtration only.

SIZE (Gal.)	BAGS/ PKG.	FILTER AREA	ITEM NO.
High Efficien	cy Collection I	Filter Bags	
6 Short	5	866 sq. in.	3UP64
5-8	5	915 sq. in.	3UP65
10-14	5	1560 sq. in.	3UP66
15-22	5	1560 sq. in.	1UG85



HEPA Cartridge Filter

Abrasion-resistant with non-stick surface to resist clogging. This highly durable, reusable filter is easy to install, remove and clean. Not intended for hazardous materials. Up to 99.97% efficient down to 0.3 microns on wet/dry debris.



Portable Vacuum HEPA Cartridge Filter

HEPA filtration media has a non-stick surface to resist clogging and help maintain suction power. Highly durable, reusable filter is easy to clean, install and remove. Not intended for hazardous materials. Up to 99.7% efficient down to 0.3 microns on wet/dry debris.

1 1/2 in. ACCESSORIES Fits wet/dry vacuums with 1 1/2 in. diameter hose systems



6X887 Metal Pipe Cleaning Tool



6AKY6 Claw Utility Nozzle



2NYE5 Plastic Pipe Cleaning Tool



3W160 (2) 6 ft. Overhead Extension Wands



6X885 3 in. Metal Round Brush Tool (use with hose only)



6X884 15 in. Metal Crevice Tool (use with hose only)



2NYE6 3 in. Plastic Round Brush Tool (use with hose only)



15 in. Plastic Crevice Tool (use with hose only)





7 in. Metal Gulper Tool (use with hose only)





Hoses & Adapters

Fits Dayton, Contractor, Industrial and Commercial wet/dry vacuums. Also fits specialty vacuums 1VHF8, 6AKY2, 3VE22, 22XJ53, 1VHF9, 4TB87 and 3UP78.



DESCRIPTION	ITEM NO.
Hoses & Adapters	
Universal Tool Adapter	4YJ86
1¼ in. x 8 ft. Crush-resistant Hose	2Z290
1¼ in. x 12 ft. Stretchable Hose	4UAC8
1½ in. x 7 ft. Crush-resistant Hose	5X882
1½ in. x 12 ft. Crush-resistant Hose	3UP61
11/2 in. x 12 ft. Premium Crush-resistant Hose	5AU40
1½ in. x 12 ft. Stretchable Hose	4UAD1
11/2 in. x 18 ft. Crush-resistant Hose	6X077
1½ in. x 25 ft. Crush-resistant Hose	3UP59
11/2 in. x 25 ft. Premium Crush-resistant Hose	5AU41
21/2 in. x 8 ft. Hose with 21/2in. Coupler	2Z212
2½ in. x 12 ft. Stretchable Hose	4UAC9

WET/DRY VACUUM PICK UP KITS



11/4 in. dia. Pick up Kit

(2) Plastic extension wands, deluxe 12 in. master nozzle brush insert, squeegee insert, crevice tool, dusting brush and utility nozzle. Fits vacuums with 1 1/4 in. diameter hoses.



21/2 in. dia. Pick up Kit

(2) 20 in. extension tubes, 6 ft. x 2½ in. hose, car tool, crevice tool, dusting brush and 14 in. floor nozzle. Fits Dayton, Contractor, Industrial and Commercial wet/dry vacuums. Also fits specialty vacuums 1VHF8, 6AKY2, 3VE22, 22XJ53, 1VHF9, 4TB87 and 3UP78.



Vehicle Detail/Cleaning Kit

12 ft x 11/2 in. dia. hose, crevice tool, round dusting brush and efficient claw-style nozzle. Fits Dayton, Contractor, Industrial and Commercial wet/dry vacuums. Also fits specialty vacuums 1VHF8, 6AKY2, 3VE22, 22XJ53, 1VHF9, 4TB87 and 3UP78.

Micro Cleaning Kit for 11/4 in. Hose 6-piece kit cleans keyboards, computers and small appliances.

Fits vacuums with 1 1/4 in. diameter hoses.



4-Piece 11/2 in. dia. Floor Kit

(2) interlocking metal extension wands, 14 in. metal master nozzle (with brush) and squeegee insert. Fits vacuums with 1 1/2 in. diameter hoses.



6Z776

7-piece 11/2 in. dia. Poly Vacuum Accessory Kit (2) plastic extension wands, 14 in. wet/dry floor nozzle, dusting brush,

utility nozzle, crevice tool and curved elbow grip. Fits vacuums with 1 1/2 in. diameter hoses.



9-Piece 1¹/₂ in. dia. Commercial Kit

(2) interlocking metal extension wands, 14 in. ABS master nozzle, brush, rug and squeegee shoes, crevice tool, dusting brush and utility nozzle. Fits vacuums with 1 1/2 in. diameter hoses.



9-Piece 11/2 in. dia. Professional Metal Kit

(2) 2 ft. interlocking metal extension wands, 14 in. master nozzle, brush, rug and squeegee shoes, utility nozzle, crevice tool and dusting brush. Fits vacuums with 1 1/2 in. diameter hoses.



4TB92

Gutter Cleaning Kit

Durable Plastic attachments extend the reach of most Dayton Brand wet/ dry vacuums. Fits 2½ in. dia. ports and hoses. (2) extension wands, 120° elbow, and concentrator nozzle.



Floating Floor Nozzle

Adjustable-height nozzle picks up wet and dry material in both forward and reverse directions. 20 in. wide vacuum nozzle front mounts easily to Nos. 22XJ56, 22XJ57, 22XJ58, 22XJ59, 22XJ60, 4YE62, 6AKZ1 and 6AKZ2. Variegated polyurethane squeegee blades and all necessary hose and mounting hardware.

Dayton[®] Stick Vacuum Filters and Accessories

DESCRIPTION	ITEM NO.
Dayton [®] Stick Vacuum Filters and Accessories	
Vacuum Filter Bags, Package of 5	2YMU3
Turbo Brush Vacuum Nozzle, 1.25 in. dia.	2YMU4
Motorized Floor Nozzle, 1.25 in. dia.	4JMV1

All specifications contained within are subject to change.



Find it at Grainger.